

VEHICLE MOVERS BY SERENCO









GoJak®

GoJak® has been designed to improve on vehicle movement and repositioning in work shops, showrooms and body shops but is also valuable in car parks and to a multitude of rescue services. To overcome different axle widths, wheelbases, wheel sizes and tyre widths every GoJak® is self-loading. This system makes lifting and moving vehicles in any direction very quick and easy saving both time and money. With the 5 models available an immense range of vehicles weighing up to 3.128 kg can be 'lifted & shifted'.

All GoJak® products are designed, tested, and Manufactured in the USA for years of dependability.

Serenco has been around for more than 35 years and that is not without a reason:

- Serenco is a leading supplier of professional tools and equipment
- For the automotive and bicycle market and the industrial environment
- More than 2.500 high quality products in stock
- Fast delivery from our central warehouse to customers in over 48 countries
- All Serenco employees are knowledgeable, service-oriented and above all: proud!







What makes GoJak® products so special?

The colour, of course, is so distinctive that you can recognise them from far away. Then there is the quality. All parts of the GoJak® are carefully designed and manufactured. With three goals: Safety, quality and durability. A short explanation:

Position disabled cars with ease

Features include directional lever, high strength galvanized steel rollers, upgraded 44.5 mm wide axles, and heavy-duty nylon, double-ball bearing raceway casters, available in a left and right handle version.

This set up makes for smooth rolling under heavier loads and easy to maneuvre a vehicle in the right place.

4 ~ 5 pumps

GoJak $^{\circ}$ opens and closes easily to surround the tire in seconds. Ratcheting mechanism only take 4 $^{\sim}$ 5 pumps to get the tire only a few centimeters off the ground

Bi-directional ratches

The built in bi-directional ratches cycles both up and down one controlled click at a time

GoJak® only contacts the tire

The rollers touch only the tire - no contact with the vehicle's frame or undercarriage is necessary

Steel padel

Mechanical leverage applied to the foot pedal progressively 'squeezes' the vehicle tire between the rollers until the tire lifts smoothly off the grond

High quality casters

Heavy-duty nylon, double-ball bearing raceway casters

Steel rollers

High strength galvanized steel rollers

Right- and left-handed model

Standard GoJaks® are right-handed. When you insert the jack around the tire, the pedal is mounted on the left and rises to the right. Left hand units are the opposite. This reverse position may be important when the vehicle is locked or broken down with broken steering rods due to an accident. In these circumstances, use of the foot pedal may prove more difficult. With left and right GoJaks®, you can position the appropriate unit so the pedal is more accessible.

For normal shop use, left hand units are not necessary. Standard right hand units are shipped unless you specify a left hand unit.







Vehicle mover - HD Sports car model

G4520

The American-Made GoJak® wheel dolly G4520 was developed for the racing car industry. Cars with tyre widths from 125 mm to 500 mm can be moved effortlessly. The device is designed for vehicle weights up to 2 tons. Twin rollers on each axle guide the tire smoothly up and over the axle support bar to lift wider tyres. This car dolly uses a bidirectional linear ratchet for the jack portion and has a 5-degree offset pedal angle for additional foot-to-tire clearance.



Vehicle mover - Hybrid (EV) sports car model G6500

The American-Made GoJak® wheel dolly G6500 was developed for the hybrid and EV cars. Cars with tyre widths from 125 mm to 500 mm can be moved effortlessly. The device is designed for vehicle weights up to 3 tons. Twin rollers on each axle guide the tire smoothly up and over the axle support bar to lift wider tyres. This car dolly uses a bi-directional linear ratchet for the jack portion and has a 5-degree offset pedal angle for additional foot-to-tire clearance.





Vehicle mover

G6313

Easily position locked, blocked or disabled vehicles with the American-Made GoJak® wheel dolly. Use it in your shop, parking garage, or on a tow call. The G6313 is an absolute work horse rated for vehicle curb weights up to 2860 kg and tire widths up to 320 mm. Features include high strength steel rollers, upgraded 44.5 mm axles, and heavy-duty, double-bal bearing raceway casters. This set up makes for smooth rolling under heavier loads. The G6313 also has a 5-degree offset pedal for additional foot-to-tire clearance when jacking. Equipped with the largest casters in the GoJak® product line allows for increased ground clearance, especially useful when pulling cars up a flatbed.

- Max. 715 kg per GoJak® (2860 kg per 4 units)
- Tyre widths Max. 320 mm
- 2 Steel rollers
- 4 Casters ANSI ICWM 2012 Certified
- 1 Unit per box (right or left)
- 17.5 kg





G6313

€ 399,00





Vehicle mover - HD / suitable for dual wheels

G7016

Introducing the newest member of the American-Made GoJak® wheel dolly family, the GoJak® SUV™ model GH7016. Equipped with four super-heavy duty G.F. nylon casters (ANSI ICWM-2012 certified) and a unique steel roller design, G7016 pushes the limits of what can be moved with an auto-positioning dolly. Designed specifically to handle light commercial vehicles, trucks and SUV's (up to 3128 kg) in your shop with ease.

With the G7016 SUV model we have taken our customers input and designed a truly revolutionary product built specifically to accommodate today's larger vehicles. The GoJak® Faster Caster System®, there is no better value.

- Max. 782 kg per GoJak® (3128 kg per 4 units)
- Tyre widths max. 500 mm
- 4 Double steel rollers
- 4 Casters ANSI ICWM 2012 Certified



Vehicle mover

The model G5211 is the workhorse of the American-Made GoJak® wheel dolly family, product line. The basic self-loading dolly design was developed thirty years ago and the specifications have recently been improved to 590 kg capacity. The G5211 is a proven and reliable product that can lift and move wheel weights max, 590 kg per Gojak (2360 kg per 4 units). The unit accommodates a very large percentage of the passenger cars and small trucks sold today. It uses a bi-directional linear ratchet for the jack portion and four 4-inch diameter heavy-duty double ball raceway casters. Available in standard right and left version.

Left GoJak® unit only needed if vehicles front wheel is turned very sharply and the vehicle is locked or disabled.

- Max. 590 kg per GoJak® (2360 kg per 4 units)
- Tyre widths Max. 280 mm
- 2 Steel rollers
- 4 Casters ANSI ICWM 2012 Certified
- 1 Units per box (right or left)
- 13.7 kg







Aviation mover - light aircraft model

G4107

The American-Made GoJak® wheel dolly model G4107 is the perfect tool for self loading smaller wheel assemblies primarily found on light aircraft. The extreme angle of the handle allows for maximum clearance from body parts and fender covers. Hand operation enables you to easily use directly under wings where pedal operation would be more difficult.

The build in linear ratchet porvides smooth and controlled lifting and lowering of tires. The unit uses 4x 75 mm double ball bearing raceway casters and is available in right and left hand configurations.

- Max. 465 kg per GoJak® (1860 kg per 4 units)
- Tyre widths Max. 178 mm
- 4 Double steel rollers
- 4 Casters ANSI ICWM 2012 Certified
- 1 Unit per box (right or left)
- 18.5 kg





Accessories




GoJak® rack

G567R

Stores 4 GoJaks® in a convenient and orderly manner. Suitable for all GoJak® models and capable of storing up to four GoJaks®. They can easily roll to the job or storage area and will load and unload in seconds.

- Fits any combination of model or variation of GoJak® Self-Loading Wheel Dolly
- High quality TPR Tread Casters making it easy to roll your GoJaks® to the work area
- Robotically welded high quality American steel construction

G567R







GoJak® weather protector cover

GJ-COVS

- For use on a towtruck
- Protection against all weather conditions



Wall-mount bracket

GJGOBKT

Convenient wall-mount bracket to keep your GoJak® off the floor and accessible. Organize your shop with these handy brackets. The rubber padding grips RakJak handle safely Rugs and screws are included for masonry mounting. Fits all models.

Easily Store RakJak™ up and out of the way



GJ-COVS

€ 34,95

GJGOBKT

€ 79,00

Tow Truck mount bracket

GJGOTOW

The GoJak® truck mount bracket conveniently stores your GoJak® until needed. The self-locking ratchet design insures your GoJaks® stay in place and a convenient padlock bracket is provided to prevent theft. For use with all models. Mounting hardware included.





GJGOTOW

€ 146,50



SERIOUS TOOLS SERIOUS RESULTS

This brochure is an edition of Serenco Nederland B.V. Maarssenbroeksedijk 39 ■ 3542 DM UTRECHT ■ Tel. +31 (0)30 2415011 ■ www.serenco.nl ■ sales@serenco.nl

Serenco Nederland reserve the right to change any prices or specification without prior notice. Prices are excl. VAT. Images and specifications are made in good faith and are subject to change. Stock is subject to availability, products may be discontinued at any time. Valid till 31/12/2022. While stock last.

DEALER